



**COSHH Data Sheet: Bridge Biotechnology Ltd  
(Annex II of regulation (EC) No 1907/2006)**

**Section 1. Identification of Company / Business**

Product identifier: - Oxidising disinfectant  
Product trade name: - ESOL™  
Business Name: - Bridge Biotechnology Limited  
Address: - 4, Castle Court, Carnegie Campus, Dunfermline,  
Fife, KY11 8PB, Scotland

**Section 2. Information Regarding Constituents**

**Hazardous Substances present on their own: -**

Electrochemical solution of sodium chloride in water. ESOL™ (+) may contain active chlorine compounds in the range of 0 to 0.1 mol/l. Cathode Output (-) may contain sodium hydroxide in the range of 0 to 0.7 mol/l.

**Other substances representing a hazard**

The solutions contain no compounds applicable to the rules for toxic compounds (EC) No 1272/2008.

**Substances present in concentration below minimum danger threshold: -**

No known substance in this category present.

**Section 3. Identification of Hazards**

The solutions are classified as non-dangerous according to Regulation (EC) No 1272/2008.

**Main Hazard:** - The solution, in their strongest undiluted form (ORP +1000mV or < -600mV may cause irritation to the eyes, and throat momentarily. Where the solutions are stored in large containers, inhalation of fumes should be avoided.

**Health Effects Inhalation:** - Adequate ventilation is required during the manufacture of these solutions, as a build up of fumes may cause nausea and dizziness.

#### **Section 4. First Aid.**

As a general rule, in case of doubt, or if symptoms persist, always call a Doctor.

##### **In the event of exposure by Inhalation: -**

Remove person immediately into fresh air. Should dizziness and nausea persist, call a doctor.

##### **In the event of splashes or contact with eyes: -**

This product will not harm eyes if it comes in contact with them however it may cause a slight stinging sensation, if this happens flush with fresh water.

##### **In the event of splashes or contact with skin: -**

There is no hazard if contact occurs when the solutions are diluted. If contact occurs when the solutions are in concentration, wash off with fresh water.

##### **In the event of swallowing: -**

There is no hazard if swallowed in dilution. If taken in concentration, drink fresh water to dilute as quickly as possible.

#### **Section 5. Firefighting measures.**

There are no special requirements for these solutions as they are non-flammable.

#### **Section 6. Action to be taken in the event of spillage**

##### **Safety Precautions: -**

Avoid spilling onto electrical equipment. The solutions are good conductors and present an electrocution hazard if spilled onto high voltage.

##### **Environmental Safety Precautions: -**

These solutions are biodegradable and have a limited active life.

There are no potential risks to the environment.

##### **Cleaning methods: -**

Wipe up with absorbent paper towels, there are no special disposal requirements. Solutions will evaporate harmlessly if left.

## **Section 7. Handling and Storage.**

### **Handling: -**

In the area where the solutions are being produced, there must be good exhaust ventilation to atmosphere. For those with sensitive skin, it may be advisable to wear gloves.

### **Fire prevention: -**

There are no special requirements, as these solutions are non-flammable.

### **Storage: -**

Store in a cool dry ventilated area, in sealed polythene or PET containers and ensure the solutions are correctly labelled. As the ESOL™ (+) and Cathode Output (-) solutions will degrade back into a sodium chloride and water solution, when exposed to the atmosphere.

The shelf life for this product is 6 months.

## **Section 8. Exposure Control – Personal Safety**

### **Engineering Control Procedures: -**

Where solutions are being manufactured on site, engineering solutions should be implemented to prevent the build up of fumes where an area has inadequate ambient ventilation.

Mechanical fume extraction may be required in this situation. Apply documented process and safety controls and personnel protection if required, such as gloves and masks.

### **Safety Breathing Apparatus: -**

No special breathing apparatus is required if the ventilation called for as above is implemented. If ventilation is not functioning the production of solutions should cease until it is working properly.

### **Hand Protection: -**

Only the strongest solutions may cause skin irritation and protective gloves should be on hand if required.

### **Eye and Facial Protection: -**

Safety glasses may be worn to reduce the risk of eye contact. Solutions will dissipate rapidly upon dilution.

### **Body Protection: -**

Normal clothing.

## **Section 9. Physical Properties**

Physical State: -	Liquid at ambient temperatures.
Appearance: -	Clear liquid, as water.
Odour: -	ESOL™ (+) has a Chlorine like odour at full strength. Cathode Output (-) has no odour.
Solubility: -	Completely soluble.
pH Values: -	ESOL (+)                      2.5 - 6.5 Cathode Output (-)        10.0 - 13.0
mV Values: -	ESOL™ (+)                      > + 1000 Cathode Output (-)        > - 800
Melting Point: -	0 <sup>0</sup> C
Boiling Point: -	100 <sup>0</sup> C
Flash Point: -	Not applicable
Inflammability: -	Not applicable
Density: -	1,000 kg/m <sup>3</sup>
Vapour Pressure: -	2,330 Pa @ 20 <sup>0</sup> C

## **Section 10. Stability and Reactivity**

### **Stability: -**

Stable under all normal conditions.

### **Materials to avoid: -**

ESOL™ in its undiluted form will eventually oxidise untreated metals including stainless steel below a 316 quality.

### **Hazardous Decomposition Information: -**

Not applicable

## **Section 11. Toxicological Information**

### **In the event of exposure by inhalation: -**

Very low order of toxicity however may cause mild respiratory irritation.

### **In the event of swallowing: -**

Very low order of toxicity.

### **In the event of splashes or contact with the skin: -**

Very low order

### **In the event of splashes or contact with the eyes: -**

Very low order of toxicity however the possibilities of allergic sensitisation should be considered.

### **Chronic toxicity / carcinogens: -**

None

## **Section 12. Ecological Information**

### **Eco-Toxicity: -**

None

### **Degradability: -**

Fully bio-degradable

### **Bioaccumulation: -**

None

### **Mobility: -**

None

## **Section 13. Disposal Procedures**

There are no special disposal procedures

## **Section 14. Transport Procedures**

Not classified as hazardous for transport.

## **Section 15. Regulatory Information**

Not listed

## **Section 16. Other Information**

The information in this document meets the European requirements for safety and health measurements as outlined in Annex II of regulation (EC) No 1907/2006.

The information contained in this document is based on data considered to accurate at the time of publication and is given free of charge. It is representative of typical product, but batches may exhibit minor variations.

No warranty is expressed or implied concerning the accuracy of this data. In case of doubt or for clarification Bridge Biotechnology Ltd should be consulted, as the company are unable to anticipate all conditions under which the product may be manufactured or used.

Equipment operators and solution users are advised to carry out an assessment of workplace risk and carry out their own tests to determine Safety and Suitability for their particular process and conditions of use.

This information is intended for the use in the European Union only as different limits may be set in other countries.

***End of Safety Data Sheet***